INDEX TO AUTHORS

ADAMS, JOHN. See HEIDELBERGER and ADAMS, 189

ARASE, MARGARET. See ROWLEY and BENDITT, 399

ASHENBRUCKER, HELEN. See BUSH, JENSEN, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 161

—. See BUSH, JENSEN, ATHENS, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 701

—. See JENSEN, BUSH, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 145

ATHENS, J. W. See BUSH, JENSEN, ATHENS, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 701

AXELROD, D. ROBERT. See ROSENTHAL, O'CONNELL, AXELROD, and BOVARNICK, 667

BADER, JOHN P. See MORGAN, 37

BARRY, GUY T. See GOEBEL, BARRY, and SHEDLOVSKY, 577

BENDITT, EARL P. See ROWLEY and BENDITT, 399

BLUM, LIVIA. See PILLEMER, BLUM, LEPOW, WURZ, and TODD, 1

BOLKER, H. I., FISHMAN, S., HEARD, R. D. H., O'DONNELL, V. J., WEBB, J. L., and WILLIS, G. C. The incorporation of acetate-1-C^{14} into cholesterol and fatty acids by surviving tissues of normal and scorbutic guinea pigs, 199

BOVARNICK, MAX. See ROSENTHAL, O'CONNELL, AXELROD, and BOVARNICK, 667

BUSH, J. A., JENSEN, W. N., ASHENBRUCKER, HELEN, CARTWRIGHT, G. E., and WINTROBE, M. M. The kinetics of iron metabolism in swine with various experimentally induced anemias, 161

BUSH, J. A., JENSEN, W. N., ATHENS, J. W., ASHENBRUCKER, HELEN, CARTWRIGHT, G. E., and WINTROBE, M. M. Studies on copper metabolism. XIX. The kinetics of iron metabolism and erythrocyte life span in copper-deficient swine, 701

—. See JENSEN, BUSH, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 145

CARTWRIGHT, G. E. See BUSH, JENSEN, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 161

—. See BUSH, JENSEN, ATHENS, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 701

—. See JENSEN, BUSH, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 145

CHAIKOFF, I. L. See NICHOLS, SIPERSTEIN, GAFFEY, LINDSAY, and CHAIKOFF, 465

CHAPMAN, EDNA. See LEON, 285

CIECIURA, STEVEN J. See PUCK, MARCUS, and CIECIURA, 273

CLARKE, MARTHA E. See STERNBERGER, FEINBERG, and CLARKE, 523

CLUFF, LEIGHTON E. A study of the effect of serum on the immunological reaction of a bacterial endotoxin, 439

COSTELLO, RICHARD L. See CURRAN and COSTELLO, 49

CURRAN, GEORGE L., and COSTELLO, RICHARD L. Reduction of excess cholesterol in the rabbit aorta by inhibition of endogenous cholesterol synthesis, 49

DARNELL, JAMES E., JR. See GLASER, THOMAS, MORSE, and DARNELL, 173
DEICHMILLER, MARIA P. See DIXON, MAURER, WEIGLE, and DEICHMILLER, 425
DIXON, FRANK J., MAURER, PAUL H., WEIGLE, WILLIAM O., and DEICHMILLER, MARIA P. Rates of antibody synthesis during first, second, and hyperimmune responses of rabbits to bovine gamma globulin, 425
DUBOS, RENÉ J. See SMITH and DUBOS, 87, 109, 119
—. See WEISS and DUBOS, 73

ELLIS, JOHN T. Glomerular lesions and the nephrotic syndrome in rabbits given saccharated iron oxide intravenously. With special reference to the part played by intracapillary precipitates in the pathogenesis of the lesions, 127

FEINBERG, SAMUEL M. See STERNBERGER, FEINBERG, and CLARKE, 523
FELDMAHN, ALEXANDRA. See JACOX and FELDMAHN, 633
FISHMAN, S. See BOLKER, FISHMAN, HEARD, O'DONNELL, WEBB, and WILLIS, 199
FRENKEL, J. K. Effects of hormones on the adrenal necrosis produced by *Besnoitia jellisoni* in golden hamsters, 375

GAFFEY, W. See NICHOLS, SIPERSTEIN, GAFFEY, LINDSAY, and CHAIKOFF, 465
GAINES, SIDNEY. See JOHNSON, GAINES, and LANDY, 225
GERBER, PAUL, HAMRE, DOROTHY, and LOOSLI, CLAYTON G. Antigenic variants of influenza A virus (PR8 strain). II. Serological and immunological characteristics of variants derived from variants, 413
GLASER, ROBERT J., THOMAS, WILBUR A., MORSE, STEPHEN I., and DARNELL, JAMES E., JR. The incidence and pathogenesis of myocarditis in rabbits after group A streptococcal pharyngeal infections, 173
GOEBEL, WALTHER F., BARRY, GUY T., and SHEDLOVSKY, THEODORE. Colicine K. I. The production of colicine K in media maintained at constant pH, 577
GREISMAN, SHELDON E. The relation of angiotonin and L-norepinephrine to essential hypertension as determined by the reaction of the nailfold capillary bed, 477

HALL, C. E., and HALL, O. On the nature of parabiosis intoxication: Shock as the precipitating cause, 263
HALL, O. See HALL and HALL, 263
HAMRE, DOROTHY. See GERBER, HAMRE, and LOOSLI, 413
HARTER, JOHN G. See SEHON, HARTER, and ROSE, 679
HEARD, R. D. H. See BOLKER, FISHMAN, HEARD, O'DONNELL, WEBB, and WILLIS, 199
HEIDELBERGER, MICHAEL, and ADAMS, JOHN. The immunological specificity of Type II pneumococcus and its separation into partial specificities, 189
HENLE, WERNER, LIU, OSCAR C., PAUCKER, KURT, and LIEF, FLORENCE S. Studies on host-virus interactions in the chick embryo-influenza virus system. XIV. The relation between tissue-bound and liberated virus materials under various conditions of infection, 799
—. See LIU, PAUCKER, and HENLE, 777
HIRSCH, JAMES G. Phagocytin: A bactericidal substance from polymorphonuclear leucocytes, 589
—. Studies of the bactericidal action of phagocytin, 613

HONIG, EDWARD I., MELNICK, JOSEPH L., ISACSON, PETER, PARR, ROBERT, MYERS, IRA L., and WALTON, MARY. An endemiological study of enteric virus infections. Poliomyelitis, Coxsackie, and orphan (ECHO) viruses isolated from normal children in two socio-economic groups, 247

ISACSON, PETER. See HONIG, MELNICK, ISACSON, PARR, MYERS, and WALTON, 247

JACOX, RALPH F., and FELDMAHN, ALEXANDRA. A study of plasma protein alterations in rabbits infected with Type I pneumococci, 633

JENSEN, W. N., BUSH, J. A., ASHENBRUCKER, HELEN, CARTWRIGHT, G. E., and WINTROBE, M. M. The kinetics of iron metabolisn in normal growing swine, 145

—. See BUSH, JENSEN, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 161

—. See BUSH, JENSEN, ATHENS, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 701

JOHNSON, ARTHUR G., GAINES, SIDNEY, and LANDY, MAURICE. Studies on the O antigen of *Salmonella typhosa*. V. Enhancement of antibody response to protein antigens by the purified lipopolysaccharide, 225

JOHNSON, KARL M. and MORGAN, HERBERT R. Latent viral infection of cells in tissue culture. II. Relationship of cell nutrition to initiation of growth of psittacosis virus, 765

KAHN, JOSEPH R. See SKEGGS, KAHN, and SHUMWAY, 295, 301

KARR, H. VALERIE. See SCHLESINGER and KARR, 309, 333

KRAUSS, MARJORIE R. See MACLEOD and KRAUSS, 623

LANDY, MAURICE, and PILLEMER, LOUIS. Elevation of properdin levels in mice following administration of bacterial lipopolysaccharides, 823

—. See JOHNSON, GAINES, and LANDY, 225

LARSON, CARL L. See OWEN and LARSON, 753

LEON, MYRON A. Quantitative studies on the properdin-complement system, 285

LEPOW, IRWIN H. See PILLEMER, BLUM, LEPOW, WURZ, and TODD, 1

LIEF, FLORENCE S. See HENLE, LIU, PAUCKER, and LIEF, 799

LINDSAY, STUART. See NICHOLS, SIPERSTEIN, GAFFEY, LINDSAY, and CHAIKOFF, 465

LIU, OSCAR C., PAUCKER, KURT, and HENLE, WERNER. Studies on host-virus interactions in the chick embryo-influenza virus system. XIII. Some aspects of non-infectious virus production, 777

—. See HENLE, LIU, PAUCKER, and LIEF, 799

LOOSLI, CLAYTON G. See GERBER, HAMRE, and LOOSLI, 413

MACLEOD, COLIN M., and KRAUSS, MARJORIE R. Transformation reactions with two non-allelic R mutants of the same strain of pneumococcus Type VIII, 623

— and ROE, AMY S. Effect of silicate on Gram staining and viability of pneumococci and other bacteria, 453

MARCUS, PHILIP I. See PUCK and MARCUS, 653

—. See PUCK, MARCUS, and CIECIURA, 273

MAURER, PAUL H. See DIXON, MAURER, WEIGLE, and DEICHMILLER, 425

MELNICK, JOSEPH L. See HONIG, MELNICK, ISACSON, PARR, MYERS, and WALTON, 247

MOLL, FREDERIC C. Studies on serum proteolytic enzyme inhibition. Effect of tissue destruction, cortisone acetate, and splenectomy on the serum trypsin inhibitor, 363
MORGAN, HERBERT R. Latent viral infection of cells in tissue culture. I. Studies on latent infection of chick embryo tissues with psittacosis virus, 37
—. See JOHNSON and MORGAN, 765
MORSE, STEPHEN I. See GLASER, THOMAS, MORSE, and DARNELL, 173
MYERS, IRA L. See HONIG, MELNICK, ISACSON, PARR, MYERS, and WALTON, 247

NELSON, JOHN B. An ascites tumor appearing during the passage of *Eperythrozoon coccoides* in mice, 743
NICHOLS, C. W., JR., SIPERSTEIN, M. D., GAFFEY, W., LINDSAY, STUART, and CHAIKOFF, I. L. Does the ingestion of alcohol influence the development of arteriosclerosis in fowls?, 465

O'CONNELL, DANIEL J. See ROSENTHAL, O'CONNELL, AXELROD, and BOVARNICK, 667
O'DONNELL, V. J. See BOLKER, FISHMAN, HEARD, O'DONNELL, WEBB, and WILLIS, 199
OPIE, EUGENE L. Changes in the osmotic activity of liver and of kidney tissue caused by passage of sodium chloride, urea, and some other substances into cells, 351
OWEN, CORA R., and LARSON, CARL L. Studies on resistance to bacterial infections in animals infected with rickettsiae, 753

PALMER, BURTON. See MOLL, 363
PARR, ROBERT. See HONIG, MELNICK, ISACSON, PARR, MYERS, and WALTON, 247
PAUCKER, KURT. See HENLE, LIU, PAUCKER, and LIEF, 799
—. See LIU, PAUCKER, and HENLE, 777
PESCH, BARBARA B. See GLASER, THOMAS, MORSE, and DARNELL, 173
PILLEMER, LOUIS, BLUM, LIVIA, LEPOW, IRWIN H., WURZ, LEONA, and TODD, EARL W. The properdin system and immunity. III. The zymosan assay of properdin, 1
—. See LANDY and PILLEMER, 823
—. See WARDLAW and PILLEMER, 553
PUCK, THEODORE T., and MARCUS, PHILIP I. Action of x-rays on mammalian cells, 653
—, —, and CIECIURA, STEVEN J. Clonal growth of mammalian cells *in vitro*. Growth characteristics of colonies from single HeLa cells with and without a "feeder" layer, 273

ROE, AMY S. See MACLEOD and ROE, 453
ROEPER, ELIZABETH. See ROWLEY and BENDITT, 399
ROGERS, DAVID E. Studies on bacteriemia: I. Mechanisms relating to the persistence of bacteriemia in rabbits following the intravenous injection of staphylococci, 713
ROJOWSKI, P. L. See SEHON, HARTER, and ROSE, 679
ROSE, BRAM. See SEHON, HARTER, and ROSE, 679
ROSENTHAL, WILLIAM S., O'CONNELL, DANIEL J., AXELROD, D. ROBERT, and BOVARNICK, MAX. Efficiency of glutamyl peptide polymers as plasma volume extenders, 667
ROTHBARD, SIDNEY, and WATSON, ROBERT F. Antigenicity of rat col-

lagen. Reverse anaphylaxis induced in rats by anti-rat collagen serum, 57

ROWLEY, DONALD A., and BENDITT, EARL P. 5-Hydroxytryptamine and histamine as mediators of the vascular injury produced by agents which damage mast cells in rats, 399

SCHLESINGER, R. WALTER, and KARR, H. VALERIE. Influenza virus and its mucoprotein substrate in the chorioallantoic membrane of the chick embryo. I. Characterization and quantitative assay of soluble substrate and studies on its relation to allantoic cells, 309

— and —. II. Stepwise inactivation of substrate and its relation to the mode of viral multiplication, 333

SCHNEIDER, HOWARD A., and ZINDER, NORTON D. Nutrition of the host and natural resistance to infection. V. An improved assay employing genetic markers in the double strain inoculation test, 207

SEHON, ALEC H., HARTER, JOHN G., and ROSE, BRAM. The localization of skin-sensitizing antibody in the sera of ragweed-sensitive individuals by electrophoresis, 679

SHEDLOVSKY, THEODORE. See GOEBEL, BARRY, and SHEDLOVSKY, 577

SHUMWAY, NORMAN P. See SKEGGS, KAHN, and SHUMWAY, 295, 301

SIPERSTEIN, M. D. See NICHOLS, SIPERSTEIN, GAFFEY, LINDSAY, and CHAIKOFF, 465

SKEGGS, LEONARD T., JR., KAHN, JOSEPH R., and SHUMWAY, NORMAN P. The preparation and function of the hypertensin-converting enzyme, 295

—, —, and —. The purification of hypertensin II, 301

SMITH, J. MACLEAN, and DUBOS, RENÉ J. The behavior of virulent and avirulent staphylococci in the tissues of normal mice, 87

— and —. The effect of dinitrophenol and thyroxine on the susceptibility of mice to staphylococcal infections, 119

— and —. The effect of nutritional disturbances on the susceptibility of mice to staphylococcal infections, 109

SMITH, MARY RUTH, and WOOD, W. BARRY, JR. An experimental analysis of the curative action of penicillin in acute bacterial infections. II. The role of phagocytic cells in the process of recovery, 499

— and —. III. The effect of suppuration upon the antibacterial action of the drug, 509

—. See WOOD and SMITH, 487

STERNBERGER, LUDWIG A. Studies on non-precipitating antibody. II. Circulating antibody-antigen complex following repeat injections of antigen, 545

—, FEINBERG, SAMUEL M., and CLARKE, MARTHA E. Studies on non-precipitating antibody. I. The conversion of non-precipitating antibody to a precipitin-like material *in vitro*, 523

SUNDEN, SHIRLEY. See MOLL, 363

THOMAS, WILBUR A. See GLASER, THOMAS, MORSE, and DARNELL, 173

TODD, EARL W. See PILLEMER, BLUM, LEPOW, WURZ, and TODD, 1

WALTON, MARY. See HONIG, MELNICK, ISACSON, PARR, MYERS, and WALTON, 247

WARDLAW, ALASTAIR C., and PILLEMER, LOUIS. The properdin system and immunity. V. The bactericidal activity of the properdin system, 553

WATSON, ROBERT F. See ROTHBARD and WATSON, 57
WEBB, J. L. See BOLKER, FISHMAN, HEARD, O'DONNELL, WEBB, and WILLIS, 199
WEIGLE, WILLIAM O. See DIXON, MAURER, WEIGLE, and DEICHMILLER, 425
WEISS, DAVID W., and DUBOS, RENÉ J. Antituberculous immunity induced by methanol extracts of tubercle bacilli—its enhancement by adjuvants, 73
WILEY, GROVE G., and WILSON, ARMINE T. The ability of group A streptococci killed by heat or mercury arc irradiation to resist ingestion by phagocytes, 15
WILLIS, G. C. See BOLKER, FISHMAN, HEARD, O'DONNELL, WEBB, and WILLIS, 199
WILSON, ARMINE T. See WILEY and WILSON, 15
WINTROBE, M. M. See BUSH, JENSEN, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 161
—. See BUSH, JENSEN, ATHENS, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 701
—. See JENSEN, BUSH, ASHENBRUCKER, CARTWRIGHT, and WINTROBE, 145
WOOD, W. BARRY, JR., and SMITH, MARY RUTH. An experimental analysis of the curative action of penicillin in acute bacterial infections. I. The relationship of bacterial growth rates to the antimicrobial effect of penicillin, 487
—. See SMITH and WOOD, 499, 509
WURZ, LEONA. See PILLEMER, BLUM, LEPOW, WURZ, and TODD, 1
ZINDER, NORTON D. See SCHNEIDER and ZINDER, 207

INDEX TO SUBJECTS

ACETATE, cortisone, tissue destruction, and splenectomy, effect on serum trypsin inhibitor, 363
Acetate-1-carbon 14, incorporation into cholesterol and fatty acids by surviving tissues of normal and scorbutic guinea pigs, 199
Acids, fatty, and cholesterol, acetate-1-carbon 14, incorporated into, by surviving tissues of normal and scorbutic guinea pigs, 199
Adrenal necrosis produced by *Besnoitia jellisoni* in golden hamsters, effects of hormones on, 375
Alcohol, ingestion of, and arteriosclerosis, 465
Allantoic cells, quantitative assay of soluble substrate and its relation to, 309
—, chorio-, membrane, of embryo, influenza virus and its mucoprotein substrate, 309, 333
Anaphylaxis, reverse, induced in rats by anti-rat collagen serum, 57
Anemias, induced, kinetics of iron metabolism in swine, 161
Angiotonin and L-norepinephrine, relation to essential hypertension determined by reaction of nailfold capillary bed, 477
Antibacterial action of penicillin, effect of suppuration upon, 509
Antibody, enhancement of response to protein antigens by purified lipopolysaccharide, O antigen of *Salmonella typhosa*, 225
—, non-precipitating, and circulating antibody-antigen complex following repeat injections of antigen, 545
—, non-precipitating, conversion to precipitin-like material *in vitro*, 523
Antibody, skin-sensitizing, localization in sera of ragweed-sensitive individuals by electrophoresis, 679
— synthesis during first, second, and hyperimmune responses to bovine gamma globulin, rates of, 425
Antibody-antigen complex, circulating, following repeat injections of antigen, in studies on non-precipitating antibody, 545
Antigen O of *Salmonella typhosa*, enhancement of antibody response to protein antigens by purified lipopolysaccharide, 225
Antigen-antibody complex, circulating, following repeat injections of antigen, in studies on non-precipitating antibody, 545
Antigenic variants of influenza A virus, serological and immunological characteristics of variants derived from, 413
Antigenicity of rat collagen, reverse anaphylaxis induced in rats by anti-rat collagen serum, 57
Antimicrobial effect of penicillin, relationship of bacterial growth rates to, 487
Antituberculous immunity induced by methanol extracts of tubercle, bacilli, enhancement by adjuvants, 73
Aorta, excess cholesterol in, reduction by inhibition of endogenous cholesterol synthesis, 49
Arteriosclerosis and ingestion of alcohol, 465
Ascites tumor during passage of *Eperythrozoon coccoides*, 743
Avirulent and virulent staphylococci in normal tissues, behavior, 87

BACILLI, tubercle, antituberculous immunity induced by methanol extracts of, enhancement by adjuvants, 73
Bacteria and pneumococci, effect of silicate on Gram staining and viability of, 453
Bacterial endotoxin, effect of serum on immunological reaction of, 439
— infections, acute, curative action of penicillin and its effect of suppuration upon antibacterial action of, 509
— infections, acute, curative action of penicillin, relationship of bacterial growth rates to antimicrobial effect of penicillin, 487
— infections, acute, curative action of penicillin, role of phagocytic cells in process of recovery, 499
— infections with rickettsiae, resistance to, 753
— lipopolysaccharides, elevation of properdin levels following administration of, 823
Bactericidal action of phagocytin, 613
— activity of properdin system, and immunity, 553
— substance phagocytin from polymorphonuclear leucocytes, 589
Bacteriemia, persistence following intravenous injection of staphylococci, 713
Besnoitia jellisoni in golden hamsters, effects of hormones on adrenal necrosis produced by, 375

CAPILLARY bed, nailfold, relation of angiotonin and L-norepinephrine to essential hypertension, determined by reaction of, 477
—, intracapillary precipitates in pathogenesis of glomerular lesions with saccharated iron oxide given intravenously, 127
Carbon 14, acetate-1-, incorporation into cholesterol and fatty acids by surviving tissues of normal and scorbutic guinea pigs, 199
Cells, allantoic, quantitative assay of soluble substrate and its relation to, 309
— in tissue culture, latent viral infection, relationship of cell nutrition to initiation of growth of psittacosis virus, 765
—, latent infection of embryo tissues with psittacosis virus, 37
—, mammalian, action of x-rays on, 653
—, mammalian, clonal growth *in vitro*, colonies from single HeLa cells with and without "feeder" layer, 273
—, mast, 5-hydroxytryptamine and histamine as mediators of vascular injury produced by agents which damage, 399
—, passage of urea, sodium chloride, and other substances into, causing changes in osmotic activity of liver and kidney tissue, 351
—, phagocytic, in process of recovery, curative action of penicillin in acute bacterial infections, 499
Children, in two socio-economic groups, endemiological study of poliomyelitis, Coxsackie, and orphan viruses isolated from, 247
Cholesterol and fatty acids, acetate-1-carbon 14 incorporated into, by surviving tissues of normal and scorbutic guinea pigs, 199
—, reduction of excess in aorta by inhibition of endogenous cholesterol synthesis, 49
Chorioallantoic membrane of embryo, influenza virus and its mucoprotein substrate in, 309, 333
Clonal growth of mammalian cells *in vitro*, colonies from HeLa cells with and without "feeder" layer, 273
Colicine K, production in media at constant hydrogen ion concentration, 577

Collagen serum, anti-rat, reverse anaphylaxis induced in rats by, 57
Complement-properdin system, quantitative studies, 285
Copper metabolism, and the kinetics of iron metabolism and erythrocyte life span in copper-deficient swine, 701
Cortisone acetate, tissue destruction, and splenectomy, effect on serum trypsin inhibitor, 363
Coxsackie, orphan, and poliomyelitis viruses isolated from children in two socio-economic groups, endemiological study, 247
Culture, tissue, in latent infection of embryo tissues with psittacosis virus, 37
—, tissue, latent viral infection of cells in, relationship of cell nutrition to initiation of growth of psittacosis virus, 765

DEFICIENCY, copper, kinetics of iron metabolism and erythrocyte life span in swine, in studies on copper metabolism, 701
Dinitrophenol and thyroxine, effect on susceptibility to staphylococcal infections, 119

ELECTROPHORESIS, localization of skin-sensitizing antibody in sera of ragweed-sensitive individuals by, 679
Embryo, influenza virus and its mucoprotein substrate in chorioallantoic membrane of, 309, 333
— tissues, latent infection with psittacosis virus, 37
Embryo-influenza virus system, host-virus interactions in, aspects of non-infectious virus production, 777
— virus system, host-virus interactions in, relation between tissue-bound and liberated virus materials under infection, 799
Endemiological study of poliomyelitis, Coxsackie, and orphan viruses isolated from children in two socio-economic groups, 247
Endotoxin, bacterial, effect of serum on immunological reaction of, 439
Enteric virus infections, endemiological study of poliomyelitis, Coxsackie, and orphan viruses in children in two socio-economic groups, 247
Enzyme, hypertensin-converting, preparation and function of, 295
— inhibition, serum proteolytic, effect of tissue destruction, cortisone acetate, and splenectomy on serum trypsin inhibitor, 363
Eperythrozoon coccoides, ascites tumor during passage of, 743
Erythrocyte life span and kinetics of iron metabolism in copper-deficient swine in studies on copper metabolism, 701

FATTY acids and cholesterol, acetate-1-carbon 14 incorporated into, by surviving tissues of normal and scorbutic guinea pigs, 199

GENETIC markers in double strain inoculation test, in studies on nutrition of host and natural resistance to infection, 207
Globulin, bovine gamma, rates of antibody synthesis during first, second, and hyperimmune responses to, 425
Glomerular lesions and nephrotic syndrome with saccharated iron oxide given intravenously, 127
Glutamyl peptide polymers, efficiency as plasma volume extenders, 667
Gram staining and viability of pneumococci and other bacteria, effect of silicate on, 453
Growth, clonal, of mammalian cells *in vitro*, colonies from single HeLa cells with and without "feeder" layer, 273

HEAT or mercury arc irradiation, ability of streptococci killed by, to resist ingestion by phagocytes, 15
Histamine and 5-hydroxytryptamine as mediators of vascular injury produced by agents which damage mast cells, 399
Hormones, effects on adrenal necrosis produced by *Besnoitia jellisoni* in golden hamsters, 375
Host, nutrition of, and natural resistance to infection, assay employing genetic markers in double strain inoculation test, 207
Host-virus interactions in embryo-influenza virus system, aspects of non-infectious virus production, 777
— interactions in embryo-influenza virus system, relation between tissue-bound and liberated virus materials under infection, 799
Hydrogen ion concentration, constant, production of colicine K in media maintained at, 577
Hydroxytryptamine, 5-, and histamine as mediators of vascular injury produced by agents which damage mast cells, 399
Hyperimmune, first, and second responses to bovine gamma globulin, rates of antibody synthesis during, 425
Hypertensin II, purification, 301
Hypertensin-converting enzyme, preparation and function of, 295
Hypertension, essential, relation of angiotonin and L-norepinephrine to, determined by reaction of nailfold capillary bed, 477

IMMUNE, hyperimmune, first, and second responses to bovine gamma globulin, rates of antibody synthesis during, 425
Immunity, antituberculous, induced by methanol extracts of tubercle bacilli, enhancement by adjuvants, 73
Immunity and bactericidal activity of properdin system, 553
—, zymosan assay of properdin, 1
Immunological reaction of bacterial endotoxin, effect of serum, 439
— and serological characteristics of variants derived from variants, antigenic variants of influenza A virus, 413
— specificity of Type II pneumococcus and separation into partial specificities, 189
Infection, latent, of embryo tissues with psittacosis virus, 37
—, nutrition of host and natural resistance to, assay employing genetic markers in double strain inoculation test, 207
— of cells in tissue culture, latent viral, relationship of cell nutrition to initiation of growth of psittacosis virus, 765
—, relation between tissue-bound and liberated virus materials under, host-virus interactions in embryo-influenza virus system, 799
Infections, acute bacterial, curative action of penicillin and effect of suppuration upon antibacterial of its action, 509
—, acute bacterial, curative action of penicillin, relationship of bacterial growth rates to antimicrobial effect of penicillin, 487
—, acute bacterial, curative action of penicillin, role of phagocytic cells in process of recovery, 499
—, bacterial, with rickettsiae, resistance to, 753
—, endemiological study of poliomyelitis, Coxsackie, and orphan viruses isolated from children in two socio-economic groups, 247
—, staphylococcal, effect of dinitro-

phenol and thyroxine on susceptibility to, 119
Infections, staphylococcal, effect of nutritional disturbances on susceptibility to, 109
—, streptococcal pharyngeal, pathogenesis of myocarditis after, 173
— with Type I pneumococci, plasma protein alterations in, 633
Infectious, non-, virus production, studies of host-virus interactions in embryo-influenza virus system, 777
Influenza A virus, serological and immunochemical characteristics of variants derived from antigenic variants of, 413
— virus and its mucoprotein substrate in chorioallantoic membrane of embryo, 309, 333
— virus–embryo system, host-virus interactions in, aspects of non-infectious virus production, 777
— virus–embryo system, host-virus interactions in, relation between tissue-bound and liberated virus materials under infection, 799
Ingestion by phagocytes, streptococci killed by heat or mercury arc irradiation, resistance to, 15
— of alcohol and development of arteriosclerosis, 465
Inhibition of endogenous cholesterol synthesis used to reduce excess cholesterol in aorta, 49
Injection, intravenous, of saccharated iron oxide, effect on glomerular lesions and nephrotic syndrome, 127
—, intravenous, of staphylococci, persistence of bacteriemia following, 713
Injections of antigen, repeat, circulating antibody-antigen complex following, in studies on non-precipitating antibody, 545
Inoculation test, double strain, use of genetic markers, in studies on nutrition of host and natural resistance to infection, 207
Intoxication, parabiosis, shock as precipitating cause, 263
Iron metabolism, kinetics, in normal growing swine, 145
— metabolism, kinetics, in swine with induced anemias, 161
— metabolism, kinetics of, and erythrocyte life span in copper-deficient swine, in studies on copper metabolism, 701
— oxide, saccharated, given intravenously, effect on glomerular lesions and nephrotic syndrome, 127
Irradiation, mercury arc, or heat, ability of streptococci killed by, to resist ingestion by phagocytes, 15

KIDNEY and liver tissue, changes in osmotic activity caused by passage of sodium chloride, urea, and other substances into cells, 351
Kinetics of iron metabolism and erythrocyte life span in copper-deficient swine, 701
— of iron metabolism in normal growing swine, 145
— of iron metabolism in swine with induced anemias, 161

LESIONS, glomerular, and nephrotic syndrome with saccharated iron oxide given intravenously, 127
Leucocytes, polymorphonuclear, phagocytin a bactericidal substance from, 589
Lipopolysaccharide, purified, enhancement of antibody response to protein antigens by, O antigen of *Salmonella typhosa*, 225
Lipopolysaccharides, bacterial, elevation of properdin levels following administration, 823

Liver and kidney tissue, changes in osmotic activity caused by passage of sodium chloride, urea, and other substances into cells, 351
Localization of skin-sensitizing antibody in sera of ragweed-sensitive individuals by electrophoresis, 679

MAMMALIAN cells, action of x-rays on, 653
— cells, clonal growth *in vitro*, colonies from single HeLa cells with and without "feeder" layer, 273
Mast cells, 5-hydroxytryptamine and histamine as mediators of vascular injury produced by damaging agents, 399
Media at constant hydrogen ion concentration, production of colicine K in, 577
Membrane, chorioallantoic, of embryo, influenza virus and its mucoprotein substrate, 309, 333
Mercury arc irradiation or heat, ability of streptococci killed by, to resist ingestion by phagocytes, 15
Metabolism, copper, and the kinetics of iron metabolism and erythrocyte life span in copper-deficient swine, 701
—, iron, kinetics, in normal growing swine, 145
—, iron, kinetics, in swine with induced anemias, 161
Methanol extracts of tubercle bacilli, antituberculous immunity induced by, enhancement by adjuvants, 73
Microbial, anti-, effect of penicillin, relationship of bacterial growth rates to, 487
Mucoprotein substrate and influenza virus in chorioallantoic membrane of embryo, 309, 333
Mutants, R, two non-allelic, of same strain of pneumococcus Type VIII, transformation reactions with, 623
Myocarditis, pathogenesis, after streptococcal pharyngeal infections, 173

NAILFOLD capillary bed, relation of angiotonin and L-norepinephrine to essential hypertension, determined by reaction of, 477
Necrosis, adrenal, produced by *Besnoitia jellisoni* in golden hamsters, effects of hormones on, 375
Nephrotic syndrome and glomerular lesions, with saccharated iron oxide given intravenously, 127
L-Norepinephrine and angiotonin, relation to essential hypertension as determined by reaction of nailfold capillary bed, 477
Nutrition, cell, relationship to initiation of growth of psittacosis virus, latent viral infection of cells in tissue culture, 765
— of host and natural resistance to infection, assay employing genetic markers in double strain inoculation test, 207
Nutritional disturbances, effect on susceptibility to staphylococcal infections, 109

ORPHAN, poliomyelitis, and Coxsackie viruses isolated from children in two socio-economic groups, endemiological study, 247
Osmotic activity of liver and of kidney tissue, changes caused by passage of sodium chloride, urea, and other substances into cells, 351
Oxide, saccharated iron, effect on glomerular lesions and nephrotic syndrome, 127

PARABIOSIS intoxication, shock as precipitating cause, 263
Pathogenesis of glomerular lesions with saccharated iron oxide given intravenously, intracapillary precipitates in, 127
— of myocarditis after streptococcal pharyngeal infections, 173

Penicillin, curative action in acute bacterial infections, and effect of suppuration upon antibacterial action of, 509
—, curative action in acute bacterial infections, relationship of bacterial growth rates to antimicrobial effect of penicillin, 487
—, curative action in acute bacterial infections, role of phagocytic cells in process of recovery, 499
Peptide polymers, glutamyl, efficiency as plasma volume extenders, 667
Phagocytes, streptococci killed by heat or mercury arc irradiation, resistance to ingestion by, 15
Phagocytic cells in process of recovery, in curative action of penicillin in acute bacterial infections, 499
Phagocytin, bactericidal action of, 613
—, bactericidal substance from polymorphonuclear leucocytes, 589
Pharyngeal infections, streptococcal, pathogenesis of myocarditis after, 173
Phenol, dinitro-, and thyroxine, effect on susceptibility to staphylococcal infections, 119
Plasma protein alteration in infections with Type I pneumococci, 633
— volume extenders, efficiency of glutamyl peptide polymers as, 667
Pneumococci and other bacteria, effect of silicate on Gram staining and viability of, 453
—, Type I, plasma protein alterations in infections with, 633
Pneumococcus, Type II, immunological specificity, and separation into partial specificities, 189
— Type VIII, transformation reactions with two non-allelic R mutants of same strain of, 623
Poliomyelitis, Coxsackie, and orphan viruses isolated from children in two socio-economic groups, endemiological study, 247
Polymers, glutamyl peptide, efficiency as plasma volume extenders, 667
Polymorphonuclear leucocytes, phagocytin bactericidal substance from, 589
Polysaccharide, lipo-, purified, enhancement of antibody response to protein antigens by, O antigen of *Salmonella typhosa*, 225
Polysaccharides, lipo-, bacterial, elevation of properdin levels following administration, 823
Precipitates, intracapillary, in pathogenesis of glomerular lesions with saccharated iron oxide given intravenously, 127
Precipitating, non-, antibody and circulating antibody-antigen complex following repeat injections of antigen, 545
—, non-, antibody, conversion to precipitin-like material *in vitro*, 523
Precipitin-like material *in vitro*, conversion of non-precipitating antibody to, 523
Properdin levels, elevation following administration of bacterial lipopolysaccharides, 823
— system, bactericidal activity of, and immunity, 553
—, zymosan assay of, and immunity, 1
Properdin-complement system, quantitative studies, 285
Protein antigens, enhancement of antibody response by purified lipopolysaccharide to, O antigen of *Salmonella typhosa*, 225
—, plasma, alterations in infections with Type I pneumococci, 633
Proteolytic enzyme inhibition, serum, effect of tissue destruction, cortisone acetate, and splenectomy on serum trypsin inhibitor, 363

Psittacosis virus, latent infection of embryo tissues, 37
— virus, relationship of cell nutrition to initiation of growth of, latent viral infection of cells in tissue culture, 765

RADIOACTIVE carbon, acetate-1-, incorporation into cholesterol and fatty acids by surviving tissues of normal and scorbutic guinea pigs, 199
Ragweed-sensitive individuals, localization by electrophoresis of skin-sensitizing antibody in sera of, 679
Reaction, immunological, of bacterial endotoxin, effect of serum on, 439
— of nailfold capillary bed, relation of angiotonin and L-norepinephrine to essential hypertension as determined by, 477
Reactions, transformation, with two non-allelic R mutants of same strain of pneumococcus Type VIII, 623
Resistance to bacterial infections with rickettsiae, 753
— to infection, natural, nutrition of host, assay employing genetic markers in double strain inoculation test, 207
— to ingestion by phagocytes, streptococci killed by heat or mercury arc irradiation, 15
Rickettsiae, resistance to bacterial infections with, 753

SACCHARATED iron oxide given intravenously, effect on glomerular lesions and nephrotic syndrome, 127
Salmonella typhosa, O antigen of, enhancement of antibody response to protein antigens by purified lipopolysaccharide, 225
Scorbutic and normal guinea pig tissues, surviving, incorporation of acetate-1-carbon 14 into cholesterol and fatty acids by, 199
Sensitizing antibody, skin, localization in sera of ragweed-sensitive individuals by electrophoresis, 679
Sera of ragweed-sensitive individuals, localization by electrophoresis of skin-sensitizing antibody in, 679
Serological and immunological characteristics of variants derived from variants, antigenic variants of influenza A virus, 413
Serum, collagen, anti-rat, reverse anaphylaxis induced in rats by, 57
—, effect on immunological reaction of bacterial endotoxin, 439
— proteolytic enzyme inhibition, effect of tissue destruction, cortisone acetate, and splenectomy on serum trypsin inhibitor, 363
Shock as precipitating cause in parabiosis intoxication, 263
Silicate, effect on Gram staining and viability of pneumococci and other bacteria, 453
Skin-sensitizing antibody, localization in sera of ragweed-sensitive individuals by electrophoresis, 679
Sodium chloride, urea, and other substances, passage into cells, causing changes in osmotic activity of liver and kidney tissue, 351
Soluble substrate, quantitative assay of, and its relation to allantoic cells, 309
Specificity, immunological, of Type II pneumococcus and its separation into partial specificities, 189
Splenectomy, tissue destruction, and cortisone acetate, effect on serum trypsin inhibitor, 363
Staining, Gram, and viability of pneumococci and other bacteria, effect of silicate on, 453

Staphylococcal infections, effect of dinitrophenol and thyroxine on susceptibility to, 119
— infections, effect of nutritional disturbances on susceptibility of mice to, 109
Staphylococci, avirulent and virulent, in normal tissues, behavior, 87
—, intravenous injection of, persistence of bacteriemia following, 713
Streptococcal pharyngeal infections, pathogenesis of myocarditis after, 173
Streptococci killed by heat or mercury arc irradiation, ability to resist ingestion by phagocytes, 15
Suppuration, effect upon antibacterial action of penicillin, 509
Susceptibility to staphylococcal infections, effect of dinitrophenol and thyroxine on, 119
— to staphylococcal infections, effect of nutritional disturbances on, 109

THYROXINE and dinitrophenol, effect on susceptibility to staphylococcal infections, 119
Tissue culture, latent viral infection of cells in, relationship of cell nutrition to initiation of growth of psittacosis virus, 765
— destruction, cortisone acetate, and splenectomy, effect on serum trypsin inhibitor, 363
—, liver and kidney, changes in osmotic activity caused by passage of sodium chloride, urea, and other substances into cells, 351
Tissue-bound and liberated virus materials, relation under infection, host-virus interactions in embryo-influenza virus system, 799
Tissues, embryo, latent infection with psittacosis virus, 37
—, normal, behavior of virulent and avirulent staphylococci in, 87
— of normal and scorbutic guinea pigs, surviving, incorporation of acetate-1-carbon 14 into cholesterol and fatty acids by, 199
Transformation reactions with two non-allelic R mutants of same strain of pneumococcus Type VIII, 623
Trypsin inhibitor, serum, effect of tissue destruction, cortisone acetate, and splenectomy on, 363
Tryptamine, 5-hydroxy-, and histamine, as mediators of vascular injury produced by agents which damage mast cells, 399
Tuberculous, anti-, immunity induced by methanol extracts of tubercle bacilli, enhancement by adjuvants, 73
Tumor, ascites, during passage of *Eperythrozoon coccoides*, 743

UREA, sodium chloride, and other substances, passage into cells, causing changes in osmotic activity of liver and kidney tissue, 351

VASCULAR injury produced by agents which damage mast cells, 5-hydroxytryptamine and histamine as mediators, 399
Viability of pneumococci and other bacteria, and Gram staining, effect of silicate on, 453
Viral infection of cells in tissue culture, latent, relationship of cell nutrition to initiation of growth of psittacosis virus, 765
— multiplication, stepwise inactivation of substrate and its relation to mode of, 333
Virulent and avirulent staphylococci in normal tissues, behavior, 87
Virus, influenza A, serological and immunochemical characteristics of variants derived from antigenic variants of, 413
—, influenza, and its mucoprotein

substrate in chorioallantoic membrane of embryo, 309, 333
Virus, psittacosis, latent infection of embryo tissues, 37
—, psittacosis, relationship of cell nutrition to initiation of growth of, latent viral infection of cells in tissue culture, 765
— system, embryo-influenza, host-virus interactions in, aspects of non-infectious virus production, 777
— system, embryo-influenza, host-virus interactions in, relation between tissue-bound and liberated virus materials under infection, 799
Viruses, poliomyelitis, Coxsackie, and orphan, isolated from children in two socio-economic groups, endemiological study, 247

X-RAYS, action on mammalian cells, 653

ZYMOSAN assay of properdin, 1